



V/COUSTIC




vicshape **3D**
Installation Manual

Material Need

Included



Not Included



Level



Screwdriver Machine




Wall Plugs and Screws




Measuring Tape


1

Before installing the panels, measure the wall where you are going to install them. Depending on the type of wall, you can fix a direct screw or use a wall plug and screw (not provided), to support the VicShape 3D.





Suggested layout



If you choose to install the panel horizontally, unscrew the suspension clip and screw it into the middle of the long side of the frame (580mm from the edge).

The silicone drops should be applied in the lower corners of the panel.

! Do not apply VicShape 3D behind radiators or close to a heat source.

Vicoustic PET Panels (Non-Fr PET)

Not suitable for applications requiring fire-resistant materials.

This product is a removable decorative absorber panel and is not a building component.

It is intended exclusively for interior use as a removable decorative element, without structural or permanent connection to walls and ceilings.

It is not covered by the harmonized standards for construction products or the Construction Products Regulation (Regulation (EU) No 305/2011).



HQ – Factory and Office

Rua do Polo 3, Nr. 151 – Freamunde
4590-335 Paços de Ferreira, Portugal
Tel: +351 255 070 044

Info and Sales

E sales@vicoustic.com

www.vicoustic.com

© Vicoustic, 2025 | V3

No parts of this document might be copied and/or published without written consent of Vicoustic.